



printright.

Quality printing products


FILE PREPARATION/ARTWORK GUIDELINES TO HELP ENSURE SUCCESS OF YOUR PROJECT

File Format

When submitting a digital file, it needs to be “print ready”. We request that you send us a PDF as we prefer to work in a PDF workflow, but a high quality JPEG will work as well. When creating the JPEG, make sure your artwork is at least 300dpi (or better), and that it is saved at maximum quality.



In addition to preferred PDF files, we can handle many of the application files available on the market today. Send us your file and we'll check it out.




Resolution

To make sure that your art files print with clear crisp images, we require that the artwork you supply has a resolution of no less than 300dpi. Artwork submitted with resolutions lower than 300dpi can produce blurry, bitmapped, or pixelated print.



Note: Images copied from the web are typically 72dpi. They may look good on your monitor, but they are not suitable for print. They also may present copyright issues.



Colours


CYMK (Cyan, Magenta, Yellow and Black) is the industry standard formula. It was created to give accurate colour reproductions. Artwork submitted using Pantone®, Spot, or RGB will be converted into the CMYK format when using a digital press. This may cause some slight colour changes. If you need an exact duplication of a Pantone® colour, make sure to tell us so that we may use the offset process to produce your order.

Our CMYK workflow is monitored and calibrated to maintain these industry standards for colour. Your monitor or personal printer may not be an accurate representation of the colour you chose in the artwork you supplied to us. That's one of the reasons why we recommend you proof your job before we print it.



Fonts

In the design world there are many different fonts available. Before sending us your file, turn your fonts into either curves or outlines, which will make the text un-editable. By doing so, you are turning the font into a graphic, which should eliminate all possible font issues.





Text and Graphic Images

All text and logos must be a safe distance from the edge of the final trim sheet. You should have at least 5mm of space between the text and the edge of the final trim sheet.

Bleed

Bleed refers to printing an image that goes beyond the edge of the sheet after trimming. For example, to get the background of your flyer to be black all the way to the edge of your sheet, the colour must bleed past all of your edges. If the background isn't designed bigger than the finished cut size, you could see white areas on the edges of the finished piece due to variations in printing and trimming. It is recommended that an area of approximately 3mm be created as a bleed area to be cut away on all sides.



Artwork Size

Below are the specific sizes required when creating a product with a bleed. Remember to add 6mm to the finished size of the artwork to allow for 3mm bleed on each edge.

Copyright

Please be advised that you must adhere to all Copyright laws that govern the copying and reproduction of copyrighted materials. You must investigate and confirm that any material which you reproduce does not infringe upon or violate any copyright or other proprietary rights. Proper permissions and/or releases should be obtained from the holder of any copyrighted materials prior to reproduction.

Crop Marks

Crop marks are small lines indicating where the product will be cut. In order for project to be finished properly, crop marks are used to determine where to cut the product. If there is bleed, it should extend beyond the crop marks by 3mm.

PRODUCT CATEGORY	FINISHED PRODUCT SIZE	ARTWORK SIZE (w/bleed)
Business Card	50mm x 90mm	56mm x 96mm
A5	148.5mm x 210mm	154.5mm x 216mm
A4	210mm x 297mm	216mm x 303mm
A3	297mm x 420mm	303mm x 426mm

IMPORTANT

The graphic file you send us should be complete. If our graphics department has to make changes to the file (e.g. resize, adjust colour, add bleed, etc.), there will be added charges. If that happens, we will always notify you first. Many times there are small issues that can be corrected with little or no cost to you.



CROP MARKS: These are small lines indicating where the product will be cut.

TRIM LINE: This is where the product is cut to finished size

BLEED AREA: Any picture or graphic element must pass the trim line to at least a 3mm bleed line

SAFE ZONE: Keep critical elements and text in the safe zone, as trimming might affect the product